

TYRES



Our supplier is company which products have acquired quality certificates of DOT, Europe Technique Center TUV, Gulf Nations GCC and SASO, ISO9001, and they were among the first factories that acquired the national compulsory CCC quality certificate in early 2003.

So far, their products had been exported to more than 50 countries and areas. Their products are running in the worlds' various construction and mining sites, both open pit and underground, cold area -66C, and hot arear +50C, while sand tires tires moving in desert with land surface temp upto +80C. ., etc. We are very proud to say that in these years we have established a good and successful cooperation together.

All tyres we can offer can be divided into three parts:

➤ **ALL-STEEL RADIAL HEAVY-TRUCK TIRE**

➤ **SEMI-STEEL RADIAL TYRE**

- passenger car tyre
- light truck tyre

➤ **BIAS TYRE**

- bias truck tyre
- bias light truck tyre
- agricultural tyre
- OTR tyre
- industrial tyre



12.00R20 TYRE

8.25R20-16

11R22.5 TYRE

18.4-38-12

ALL TYRES ARE MANUFACTURED UNDER STRINGENT QUALITY CONTROL SYSTEMS

TYRE SPECIFICATION

size	ply rating	pattern	bear		pressure				load index		speed	inflated tyre diameter		
			KG	LBS	KPA	PSI			grade	mm				
			single	dual	single	single	dual	single	dual	single	dual		D±1.2%	B±3.5%
11.00R20	18	HS218	3550	3250	7820								overall	section
		HS268				930	930	135	135	152	149	K	1085	293
12.00R20	18	HS218	3790	3270	8350	840	770	120	110	153	149	K	1123	315
		HS268				840	770	120	110	154	149	K	1123	315
11R22.5	16	HS101	3000	2630	6610	840	770	120	110	146	142	K	1054	297
12R22.5	16	HS101	3350	3075	7390	830	830	120	120	150	147	M	1085	300
		HS189												
7.50R20	14	HS218	1500	1320	3300								overall	section
		HS268				770	770	110	110	122	118	J	805	215
8.25R20	16	HS218	2430	2300	5355	##	930	930	135	135	139	K	962	
		HS268				#								
10.00R20	18	HS101	3250	3000	6610	930	930	120	110	146	142	K	1054	297
11R24.5	16	HS101	3350	3075	7390	830	830	120	120	150	147	M	1104	300
		HS189												
16.00-24	18	HS218	3550	3250	7820								overall	section
		HS268				930	930	135	135	152	149	K	1085	293
17.5-25	18	HS218	3790	3270	8350	840	770	120	110	153	149	K	1123	315
		HS268				840	770	120	110	154	149	K	1123	315
20.5-25	16	HS101	3000	2630	6610	930	930	120	110	146	142	K	1054	297
23.5-25	16	HS101	3350	3075	7390	830	830	120	120	150	147	M	1085	300
		HS189												
26.5-25	18	HS218	3550	3250	7820								overall	section
		HS268				930	930	135	135	152	149	K	1085	293
29.5-25	18	HS218	3790	3270	8350	840	770	120	110	153	149	K	1123	315
		HS268				840	770	120	110	154	149	K	1123	315
14.00-20	16	HS101	3000	2630	6610	840	770	120	110	146	142	K	1054	297
6.00-14	16	HS101	3350	3075	7390	830	830	120	120	150	147	M	1085	300
		HS189												
19.5-24	18	HS218	3550	3250	7820								overall	section
		HS268				930	930	135	135	152	149	K	1085	293
12.5/80-18	18	HS218	3790	3270	8350	840	770	120	110	153	149	K	1123	315
		HS268				840	770	120	110	154	149	K	1123	315
16/70-20	16	HS101	3000	2630	6610	840	770	120	110	146	142	K	1054	297
18.4-38	16	HS101	3350	3075	7390	830	830	120	120	150	147	M	1085	300
225//75R15	18	HS218	3550	3250	7820								overall	section
		HS268				930	930	135	135	152	149	K	1085	293
245/70R16	18	HS218	3790	3270	8350	840	770	120	110	153	149	K	1123	315
		HS268				840	770	120	110	154	149	K	1123	315

MODEL	SPECIFICATION	QUANTITY (per 1x40HQ)
29.5-25-32	Suitable to heavy dump trucks, scrapers and loaders under many conditions, excellent heat and wear resistances, excellent traction. (OTR tyre)	25pcs
26.5-25-32		36pcs
23.5-25-20		52pcs
20.5-25-20	Suitable to scrapers, loaders, graders, excavators, bulldozers on relatively poor road surface in areas like mining areas tunnel, quarry, constructions site, etc.(OTR tyre)	80pcs
16/70-20-10		132pcs
17.5-25-20	Suitable to heavy dump trucks, scrapers and loaders operating under many conditions, with extensively universal characteristic, the combination of special tread design, stock compound and strong carcass structure design provides excellent heat and wear resistances, excellent traction, the tyre is a kind of durable tyre extensively suitable to various mining areas, building sites.	100pcs
16.00-24-18	Suitable for heavy duty mobile crane, straddle crane, straddle carrier, container stacker, reach stacker, container handler, and other container machineries operating in ports, yards., etc.	100pcs
14.00-20-18	Truck tyre	175pcs
6.00-14-10	Light truck tyre	1400pcs
19.5-24-12	Heavy truck	95pcs
12.5/80-18-12	Truck tyre	310pcs
18.4-38-12	Heavy truck	50pcs
12R22.5-16	Truck tyre	240pcs
11R22.5-16	Truck tyre	280pcs
11R24.5-16	Truck tyre	220pcs
12.00R20-18	Truck tyre	220pcs
11.00R20-18	Truck tyre	242pcs
10.00R20-18	Truck tyre	270pcs
8.25R20-16	Light truck tyre	400pcs
7.50R20-14	Light truck tyre	500pcs
245/70R16	Car tyre	500pcs
225/75R15C	Car tyre	750pcs

Terms:

- *CERTIFICATE: ORIGINAL SGS CERTIFICATE THAT CONFIRMS THE RIGHT QUALITY
- *PACKING: STANDARD TRADING PACKING (can be changed in accordance with the client)
- *REVIEW, VERIFICATION OF GOODS ALSO DURING PACKING IN CONTAINER

STEP UP TRADING COMPANY LTD

China, Beijing, Chaowai Dajie No.10, Kuntai Dasha 1510, 100020 | Tel: +86 10 85656738 | www.stepuplimited.com | bjoffice@stepuplimited.com